***SCS Global Services** does hereby certify that an independent assessment has been conducted on behalf of:*

Conch (Anhui) Energy Saving and Environment Protection New Material Co., Ltd.

No. 38 Gangwan Road, Economic Development Zone, Wuhu City, Anhui, China

For the following product(s):

Vinyl Tile:
Stone Plastic Composite Flooring/SPC Flooring *(Maximum thickness: 10.0mm)*

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

FloorScore®

Indoor Air Quality Certified to SCS-105 v4.2-2023.

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-05617

Valid from: August 01, 2026 to July 31, 2027

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, http://www.scsglobalservices.com/certified-green-products-guide.

Diana Kirsanova Phillips, Chief of Staff to the CEO / Chief Assurance Officer
SCS Global Services